

DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS

DODISS NOTICE

1 APRIL 2001 / FOR PERIOD 15 MAR 2001 TO 31 MAR 2001 / VOL. 6/ NO. 01

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents are available after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) are no longer available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards. On 31 October 2000 we began updating all DOD adoption notices to comply with current DPSO Policy Memo 00-01, dated 15 May 2000, this effort will continue until all adoption notices meet current policy.

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-C-60235B(2) NOT 2	CARTRIDGE, IMPULSE, M91 ASSEMBLY[CUST: OS 99] [REVIEW: 70]	A	1377	OS		15-MAR-01
M MIL-DTL-85097/3D	AIRCREW ESCAPE PROPULSION SYSTEMS (AEPS) ROCKET MOTOR (LOADED ASSEMBLY) MARK 79 MODS 1 & 2[CUST: OS]	A	1377	OS		20-MAR-01
N A-A-59484	BRAKE MACHINES, SHEET METAL, MANUALLY OPERATED STANDARD AND BOX-PAN TYPE[CUST: AR SH 99] [REVIEW: 84]	A	3441	/	GS5	14-MAR-01
M A-A-59114A	TRUCK, FIRE FIGHTING, (BRUSH)[CUST: 99] [REVIEW: CC]	A	4210	/	84	02-APR-01
M MIL-PRF-14512L NOT 1	FILTER, GAS, 340 L/M, M12A2[CUST: EA]	A	4240	EA		27-FEB-01
M MIL-PRF-51191E(1)	HEATER, AIR, ELECTRICAL, FILTER UNIT, M3[CUST: EA]	A	4240	EA		26-MAR-01
M MIL-PRF-51193E NOT 1	FILTER, GAS, 283 L/M, M18A1[CUST: EA]	A	4240	EA		27-FEB-01
M QPL-25677-13	ADAPTER, CAP, AND NOZZLE, PRESSURE LUBRICATING OIL SERVICING, AIRCRAFT	A	4730	CC		15-MAR-01
N SAE-AS51007	GASKET, RUBBER, SYNTHETIC[CUST: AR 99]	A	5330	IS		02-APR-01
M QPL-20-132	CAPACITOR, FIXED, CERAMIC DIELECTRIC (TEMPERATURE COMPENSATING), ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910	CC		22-MAR-01
M QPL-11015-117	CAPACITORS, FIXED, CERAMIC DIELECTRIC (GENERAL PURPOSE) GENERAL SPECIFICATION FOR	A	5910	CC		22-MAR-01
M QPL-39006-99	CAPACITOR, FIXED, ELECTROLYTIC (NONSOLID ELECTROLYTE), TANTALUM, ESTABLISHED RELIABILITY	A	5910	CC		14-MAR-01
M QPL-83421-52	CAPACITORS, FIXED, METALLIZED, PLASTIC FILM DIELECTRIC, (DC, AC, OR DC AND AC), HERMETICALLY SEALED IN METAL OR CERAMIC CASES, ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910	CC		14-MAR-01
M MIL-PRF-15160H(2) SUP 1	FUSES, INSTRUMENT, POWER, AND TELEPHONE, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD]	A	5920	CC		15-MAR-01
M MIL-PRF-15160/2F(2)	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F02[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A	5920	CC		22-MAR-01
M MIL-PRF-15160/3F(2)	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F03[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD]	A	5920	CC		16-MAR-01
M MIL-PRF-15160/9E(1)	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F09[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A	5920	CC		20-MAR-01
M MIL-PRF-19207/21K	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, NON-EMI/RFI SHIELDED AND EMI/RFI SHIELDED, TYPE FHL32W AND TYPE FHL32WS[CUST: CR SH 11 CC] [REVIEW: 70 71 80 AR AS AT CR4 EC MC MI OS]	A	5920	CC		30-MAR-01
M MIL-PRF-19207/23K	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, TYPE FHL34W[CUST: CR SH 11] [REVIEW: 70 71 AR AS AT CR4 EC MC MI OS]	A	5920	CC		30-MAR-01
M MIL-PRF-19207/24K	FUSEHOLDERS, EXTRACTOR POST TYPE, BLOWN FUSE INDICATING, NON-EMI/RFI SHIELDED AND EMI/RFI SHIELDED, TYPE FHL35W AND TYPE FHL35WS[CUST: CR SH 11 CC] [REVIEW: 70 71 80 AR AS AT CR4 EC MC MI OS]	A	5920	CC		30-MAR-01
M MIL-PRF-23419F(2) SUP 1	FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 AR CR4 MI NS OS SH]	A	5920	CC		22-MAR-01
M MIL-DTL-24646A SUP 1	FUSE BOXES, GENERAL SPECIFICATION FOR[CUST: SH CC]	A	5920	CC		20-MAR-01
M MIL-DTL-83413/1B	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE I GROUNDING ASSEMBLY, DISCHARGER, ELECTROSTATIC[CUST: AV AS 11 CC] [REVIEW: 02 13 18 82 99 AR CR CR4 MC MI]	A	5920	CC		22-MAR-01
M A-A-55475A	FUSEHOLDER, EXTRACTOR POST[CUST: EC CC]	A	5920	/	CC	14-MAR-01
M A-A-55476A	FUSE, CARTRIDGE, TYPE SFE[CUST: EC CC]	A	5920	/	CC	14-MAR-01
M A-A-55518/2A	FUSEHOLDER, BLOCK, 20 OR 30 AMPERES (A), 250 VOLTS (V) AC, 1 THROUGH 12 POLE, ACCOMMODATES 3AG OR 3AB TYPE FUSE CARTRIDGES[CUST: EC CC]	A	5920	/	CC	14-MAR-01
M A-A-55518/3A	FUSEHOLDER, BLOCK, 30 AMPERES (A), 250 VOLTS (V), AC, 1 THROUGH 12 POLE ACCOMMODATES 4AG OR 4AB TYPE FUSE CARTRIDGES[CUST: EC CC]	A	5920	/	CC	14-MAR-01
M A-A-55518/4A	FUSEHOLDER, BLOCK, 30 AMPERE (A), 250 VOLTS (V) AC, 1 THROUGH 12 POLE, ACCOMMODATES 5AG OR 5AB TYPE FUSE CARTRIDGES[CUST: EC CC]	A	5920	/	CC	14-MAR-01
M A-A-55519/3A	FUSE, INCLOSED LINK, SUBMINIATURE, SURFACE MOUNT (SM), VERY FAST ACTING, WITH WRAP AROUND TERMINALS[CUST: EC CC]	A	5920	/	CC	14-MAR-01
M MIL-PRF-22885/71C	SWITCHES, PUSH BUTTON, ILLUMINATED, 7 AMPERES AND LOW LEVEL, 4-LAMP, RFI SHIELDED, SOLID MOUNT[CUST: CR EC 11 CC] [REVIEW: 70 84 99 MI SA SH]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/75E	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.87 SQUARE, 7 AMPERES, ELECTROMAGNETIC INTERFERENCE SHIELDED[CUST: CR EC 11 CC] [REVIEW: 99 AR AS AV CR4 MC OS SH]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/77D	SWITCHES, PUSH BUTTON, ILLUMINATED, 4-LAMP, 0.75 SQUARE, 7.5 AMPERES, AND LOW LEVEL INTEGRATED WIRE TERMINATION, ELECTROMAGNETIC INTERFERENCE SHIELDED, SUNLIGHT READABLE[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/79D	SWITCHES, PUSH BUTTON, ILLUMINATED, MOMENTARY, SPDT AND DPDT, ONE LAMP, 7 AMPERE SILVER CONTACTS, 1 AMPERE GOLD CONTACT[CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI OS]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/82C	SWITCH, PUSH BUTTON, ILLUMINATED, LENS ASSEMBLIES FOR, .665 SQ AND .916 LG X .665 WIDE[CUST: EC CC]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/85D	SWITCH, PUSH BUTTON, ILLUMINATED, LENS PLATE FOR, 1.030 LONG X .730 WIDE[CUST: CR EC 11] [REVIEW: 19 99 AR AS AV MC MI OS SH]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/91C	SWITCH, PUSH BUTTON, ILLUMINATED, ROCKER, PADDLE, SOLID STATE HALL EFFECT, UNSEALED[CUST: CR EC 11]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/92B	SWITCH, PUSHBUTTON, ILLUMINATED, ROCKER, PADDLE, POWER DUTY, UNSEALED[CUST: EC 11]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/99B	SWITCH, PUSH BUTTON, ILLUMINATED, PUSH BUTTONS FOR (SNAP-IN AND SCREW-IN)[CUST: CR EC 11 CC]	A	5930	CC		01-MAR-01
M MIL-PRF-22885/108C	SWITCHES, PUSHBUTTON, ILLUMINATED, 4-LAMP, 0.750 SQUARE, SPDT, DPDT, 4PDT SILVER CONTACTS - 2 CIRCUIT (5 AMPERES) OR SPDT (7.5 AMPERES); GOLD CONTACTS - LOW LEVEL TO 1 AMPERE, SUNLIGHT READABLE DISPLAY (DRIPPROOF, WATERTIGHT, SPLASHPROOF, EMI/RFI SHIELDING, HIGH IMPACT SHOCK RESISTANT, COMMON TERMINATION SYSTEM, NIGHT VISION (GOGGLE COMPATIBLE)[CUST: CR EC 11 CC]	A	5930	CC		01-MAR-01
M QPL-39012-109	CONNECTORS, COAXIAL, RADIO FREQUENCY, GENERAL SPECIFICATION FOR	A	5935	CC		16-MAR-01
M MIL-PRF-27F SUP 1	TRANSFORMERS AND INDUCTORS (AUDIO, POWER, AND HIGH-POWER PULSE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: AR CR4 MC]	A	5950	CC		25-FEB-01
M MIL-PRF-19500/255M	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, SWITCHING, TYPES 2N2221A, 2N2221AL, 2N2222A, 2N2222AL, 2N2221AUA, 2N2222AUA, 2N2221AUB, AND 2N2222AUB, JAN, JANJ, JANTX, JANTXV, JANTXVD, JANTXVH, JANTXVM, JANTXVR, JANS, JANSO, JANSI, JANSJ, JANSR, JANHC, JANICM, JANHCD, JANHCR, JANHCH, JANKC, JANKCM, JANKCD, JANKCR, AND JANKCH[CUST: CR NW 11 CC NA] [REVIEW: 13 19 99 AR AS CG MC MI SM]	A	5961	CC		20-MAR-01
M MIL-PRF-19500/453D	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, HIGH-FREQUENCY TYPE 2N5109, 2N5109UB, JAN, JANTX, JANTXV, AND JANS, JANHC AND JANKC[CUST: 11 CC] [REVIEW: 19 99]	A	5961	CC		23-MAR-01
N MIL-PRF-19500/689	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON TYPES 2N7512, 2N7513, AND 2N7514 JANTXVD, R AND JANSO, R[CUST: CR EC 11 CC NA]	A	5961	CC		28-FEB-01

ACTIVE SECTION

DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
N	MIL-PRF-19500/692	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL SILICON TYPES 2N7515, 2N7516, AND 2N7517 JANTXVD, R AND JANSJ, R[CUST: CR EC 11 CC NA]	A	5961		CC	08-MAR-01
M	QML-19500-9	SEMICONDUCTOR DEVICES, GENERAL SPECIFICATION FOR	A	5961		CC	16-MAR-01
M	A-A-55485/1A	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .100 DIAMETER PIN CENTER[CUST: CR EC 11 CC]	A	5999	/	CC	21-MAR-01
M	A-A-55485/3A	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .100 DIAMETER PIN CENTER TO A LARGER DIAMETER[CUST: CR EC 11 CC]	A	5999	/	CC	21-MAR-01
M	MIL-DTL-27072C SUP 1	CABLE, POWER, ELECTRICAL AND CABLE, SPECIAL PURPOSE, ELECTRICAL, MULTICONDUCTOR AND SINGLE SHIELDED, GENERAL SPECIFICATION FOR[CUST: CR SH 11 CC] [REVIEW: MI]	A	6145		CC	08-DEC-00
M	QPL-28830-9	CABLE, RADIO FREQUENCY, COAXIAL, SEMIRIGID, CORRUGATED OUTER CONDUCTOR, GENERAL SPECIFICATION FOR	A	6145		CC	14-MAR-01
M	QPL-25624-30	TRANSMITTER, PRESSURE TRU-80/A, OIL, ENGINE-MOUNTED, 0-100 PSI	A	6620		71	14-MAR-01
M	A-A-59400A	TESTER, SPRING RESILIENCY (PUSH/PULL FORCE GAUGE)[CUST: GL AS 99 GS1] [REVIEW: CR4]	A	6635	/	GS1	14-MAR-01
M	O-S-801F	SULFURIC ACID, ELECTROLYTE (FOR STORAGE BATTERIES)[CUST: EA SH 68] [REVIEW: AT MC MD MI SA YD]	A	6810	/	GS3	22-MAR-01
M	QPL-25017-19	INHIBITOR, CORROSION/LUBRICITY IMPROVER, FUEL SOLUBLE	A	6850		11	15-MAR-01
M	FED-STD-141D	PAINT, VARNISH, LACQUER AND RELATED MATERIALS: METHODS OF INSPECTION, SAMPLING AND TESTING[CUST: MR SH 11] [REVIEW: 03 84 99 AS CG MI]	A	8010	/	MR	22-MAR-01
M	MIL-DTL-32075	LABEL: FOR CLOTHING, EQUIPAGE, AND TENTAGE, (GENERAL USE)[CUST: GL NU 11] [REVIEW: 82 AR CG MC MD]	A	8315		CT	17-OCT-00
M	A-A-55106A NOT 1	WHISTLE, PLASTIC[CUST: GL NU 99 CT] [REVIEW: 11 82 AS MC MD]	A	8465	/	CT	31-JAN-01
N	MIL-PRF-32073	HYDRAULIC FLUID, BIODEGRADABLE[CUST: AT AS 68] [REVIEW: 03 AV DP DS GS MC MD MI OS SA SH SM]	A	9150		AT	09-MAR-01
N	SAE-J2362	LUBRICATING OIL, AUTOMOTIVE ENGINE, API SERVICE SJ FOR MILITARY ADMINISTRATIVE SERVICE[CUST: AT SH 68] [REVIEW: 11 AS CD GS MC MD1 OS PS SA SM YD]	A	9150		AT	16-MAR-01
N	SAE-J2363	LUBRICATING OIL, FOR WHEELED MILITARY VEHICLES WITH HEAVY-DUTY DIESEL ENGINES[CUST: AT SH 68] [REVIEW: 11 AR AV GS MD1 OS PS SA SM YD]	A	9150		AT	16-MAR-01
M	ASTM-D6576	RUBBER, FLEXIBLE CELLULAR, CHEMICALLY BLOWN[CUST: AV AS 11] [REVIEW: 99 AR EA GS MC MI MR OS]	A	9320		AS	15-MAR-01
M	MIL-STD-2045/47001B	CONNECTIONLESS DATA TRANSFER APPLICATION LAYER STANDARD[Interface Standard][CUST: CR1 OM 02 DH] [REVIEW: 03 11 13 33 AC CG CH EC IE IR MA MC MP ND OST PT SE SO TD TM1 TM3]	A	DCPS		CR1	20-JAN-98

INACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M DOD-B-82737 SUP 1 NOT 3	BALLS, BEARING, FERROUS AND NON-FERROUS (FOR USE IN BEARINGS, VALVES AND BEARING APPLICATIONS), GENERAL SPECIFICATION FOR[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH]	A	3110		GS4	21-MAR-01
M DOD-B-82737/1 NOT 3	BALLS, BEARING, AIRCRAFT QUALITY STEEL, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH]	A	3110		GS4	21-MAR-01
M DOD-B-82737/2 NOT 3	BALLS, BEARING, STEEL, CHROME ALLOY, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH]	A	3110		GS4	21-MAR-01
M DOD-B-82737/3 NOT 3	BALLS, BEARING, CORROSION RESISTANT STEEL, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH]	A	3110		GS4	21-MAR-01
M DOD-B-82737/4 NOT 3	BALLS, BEARING, STEEL, CARBON, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH]	A	3110		GS4	21-MAR-01
M DOD-B-82737/5 NOT 3	BALLS, BEARING, BRONZE, METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH]	A	3110		GS4	21-MAR-01
M DOD-B-82737/6 NOT 3	BALLS, BEARING, NICKEL-COPPER ALLOY (K-MONEL) METRIC[CUST: AT OS 99 GS4] [REVIEW: 11 84 AR AV CR IS SH]	A	3110		GS4	21-MAR-01
M QPL-5515-17 NOT 1	PUMP, HYDRAULIC RAM, HAND DRIVEN	A	4320		CC	29-MAR-01
M QPL-83507-9 NOT 1	TOOL KIT, ELECTRICAL CONNECTORS, CONTACTS AND CONNECTORS AND CABLE ACCESSORIES	A	5180		CC	16-MAR-01
M MS21919E(1) NOT 4	CLAMP, LOOP TYPE, CUSHIONED, SUPPORT[CUST: AS 99 IS] [REVIEW: 71]	A	5340		IS	31-JAN-01
M AN10044 REV 3 NOT 2	COVER - TYPE XVI, XVII-C, D, E, AND F ENGINE ACCESSORY DRIVE[CUST: AS 99 IS]	A	5340		IS	07-NOV-00
M MIL-K-3926B(2) SUP 1B NOT 2	KNOBS, CONTROL (FOR USE WITH ELECTRONIC, COMMUNICATIONS, AND ALLIED EQUIPMENT)[CUST: CR EC 99 IS] [REVIEW: 82 AT AV CG CR4 EA MC MI OS]	A	5355		IS	09-MAR-01
M QPL-93-106 NOT 1	RESISTORS, FIXED, WIRE-WOUND (ACCURATE), GENERAL SPECIFICATION FOR	A	5905		CC	28-MAR-01
M QPL-10509-154 NOT 1	RESISTOR, FIXED, FILM (HIGH STABILITY), GENERAL SPECIFICATION FOR	A	5905		CC	29-MAR-01
M QPL-18546-66 NOT 1	RESISTORS, FIXED, WIRE-WOUND (POWER TYPE, CHASSIS MOUNTED), GENERAL SPECIFICATION FOR	A	5905		CC	30-MAR-01
M QPL-25-71 NOT 1	CAPACITOR, FIXED, PAPER-DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), GENERAL SPECIFICATION FOR	A	5910		CC	28-MAR-01
M QPL-3965-69 NOT 1	CAPACITOR, FIXED, ELECTROLYTIC, (NONSOLID ELECTROLYTE), TANTALUM, GENERAL SPECIFICATION FOR	A	5910		CC	28-MAR-01
M QPL-11272-27 NOT 1	CAPACITOR, FIXED, GLASS-DIELECTRIC GENERAL SPECIFICATION FOR	A	5910		CC	29-MAR-01
M MIL-PRF-22885/83E	SWITCH, PUSH BUTTON, ILLUMINATED, (2.330 LONG X .750 SQUARE)[CUST: 11 CC]	A	5930		CC	17-MAR-01
M QPL-28788-9 NOT 1	SWITCH, AIR AND LIQUID FLOW, SENSING, GENERAL SPECIFICATION FOR	A	5930		CC	30-MAR-01
M QPL-26500-62 NOT 1	CONNECTOR, GENERAL PURPOSE, ELECTRICAL, MINIATURE, CIRCULAR, ENVIRONMENT RESISTING, GENERAL SPECIFICATION FOR	A	5935		CC	30-MAR-01
M QPL-26518-12 NOT 1	CONNECTORS, ELECTRICAL, MINIATURE, RACK AND PANEL, ENVIRONMENT RESISTING, 200 DEG. C AMBIENT TEMPERATURE	A	5935		CC	30-MAR-01
M QPL-27599-11 NOT 1	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTANT SOLDER CONTACTS	A	5935		CC	30-MAR-01
M MIL-S-19500/274C(1) NOT 1	SEMICONDUCTOR DEVICE, NPN, SILICON, TRANSISTORS TYPES 2N910, 2N910S, 2N911, 2N911S, 2N912, AND 2N912S, JAN AND JANIX[CUST: CR CC] [REVIEW: AR AV MI SM]	A	5961		CC	06-MAR-01
M MIL-M-38510J(1) NOT 2	MICROCIRCUITS, GENERAL SPECIFICATION FOR[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	15-MAR-01
M MIL-M-38510/107C NOT 2	MICROCIRCUITS, LINEAR, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	20-MAR-01
M MIL-M-38510/109A(3) NOT 2	MICROCIRCUITS, LINEAR, PRECISION TIMERS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	20-MAR-01
M MIL-M-38510/111(7) NOT 2	MICROCIRCUITS, ANALOG SWITCH WITH DRIVER, MONOLITHIC AND MULTI-CHIP SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	20-MAR-01
M MIL-M-38510/112A(3) NOT 2	MICROCIRCUITS, LINEAR, VOLTAGE COMPARATORS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	20-MAR-01
M MIL-M-38510/113(6) NOT 2	MICROCIRCUITS, LINEAR, 8 BIT, DIGITAL TO ANALOG CONVERTERS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	20-MAR-01
M MIL-M-38510/114A(6) NOT 3	MICROCIRCUITS, LINEAR, BI-FET OPERATIONAL AMPLIFIERS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	23-MAR-01
M MIL-M-38510/115A(1) NOT 2	MICROCIRCUITS, LINEAR, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	23-MAR-01
M MIL-M-38510/116(5) NOT 2	MICROCIRCUITS, CMOS, ANALOG SWITCH WITH DRIVER, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	23-MAR-01
M MIL-M-38510/117A(3) NOT 2	MICROCIRCUIT, LINEAR, ADJUSTABLE, POSITIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	23-MAR-01
M MIL-M-38510/118(4) NOT 2	MICROCIRCUIT, LINEAR, ADJUSTABLE, NEGATIVE, VOLTAGE REGULATORS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	23-MAR-01
M MIL-M-38510/124C NOT 2	MICROCIRCUITS, LINEAR, PRECISION VOLTAGE REFERENCES, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	26-MAR-01
M MIL-M-38510/125(1) NOT 2	MICROCIRCUITS, LINEAR, SAMPLE AND HOLD CIRCUITS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	28-MAR-01
M MIL-M-38510/126B NOT 2	MICROCIRCUITS, LINEAR, REGULATING, PULSE-WIDTH MODULATOR, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	28-MAR-01
M MIL-M-38510/127A(1) NOT 2	MICROCIRCUITS, LINEAR, CMOS MULTIPLYING D/A CONVERTERS, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	28-MAR-01
M MIL-M-38510/128(3) NOT 2	MICROCIRCUITS, LINEAR, PROGRAMMABLE VOLTAGE REFERENCES, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	28-MAR-01
M MIL-M-38510/129A(3) NOT 2	MICROCIRCUITS, MONOLITHIC SILICON INTERFACE, DUAL PERIPHERAL DRIVERS[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	28-MAR-01
M MIL-M-38510/130B(2) NOT 2	MICROCIRCUIT, MONOLITHIC SILICON, BIPOLAR, INTERFACE, MEMORY CORE DRIVERS[CUST: CR NW 11 CC] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	02-APR-01
M MIL-C-172C(6) SUP 1D NOT 2	CASES, BASES, MOUNTING, AND MOUNTS, VIBRATION (FOR USE WITH ELECTRONIC EQUIPMENT IN AIRCRAFT)[CUST: CR AS 11] [REVIEW: 99 AR AV GS MI]	A	5975		AS	15-FEB-01
M QPL-8777-21 NOT 1	WIRE, ELECTRICAL, SILICONE-INSULATED, COPPER, 600-VOLT, 200 DEG C, GENERAL SPECIFICATION FOR	A	6145		CC	29-MAR-01
M QPL-49055-19 NOT 1	CABLES, POWER, ELECTRICAL, (FLEXIBLE, FLAT, UNSHIELDED), (ROUND CONDUCTOR), GENERAL SPECIFICATION FOR	A	6145		CC	15-MAR-01
M QPL-6529-24 NOT 1	CORROSION-PREVENTATIVE, AIRCRAFT ENGINE	A	6850		11	30-MAR-01
M TT-R-2918A	REMOVER, PAINT, NO HAZARDOUS AIR POLLUTANTS (HAPS)[CUST: AS 11] [REVIEW: 84 99 CG]	A	8010	/	AS	19-MAR-01
M MIL-R-46082B(6) NOT 2	RETAINING COMPOUNDS, SINGLE COMPONENT, ANAEROBIC[CUST: MR AS 99] [REVIEW: AT CC CG FSS MI OS SH YD]	A	8030		MR	23-MAR-01

INACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-S-46163A(2) NOT 3	SEALING, LUBRICATING, AND WICKING COMPOUNDS: THREAD-LOCKING, ANAEROBIC, SINGLE-COMPONENT[CUST: MR AS 11] [REVIEW: 84 CG SH]	A	8030		MR	23-MAR-01
M MIL-DTL-11589/32G	RIBBON, COAST GUARD MEDAL[CUST: IH CG] [REVIEW: CT]	A	8455		IH	15-MAR-01
M MIL-DTL-11589/543A	RIBBON, AUXILIARY VESSEL EXAMINATIONS/MARINE DEALER VISITATION SERVICE AWARD, COAST GUARD AUXILIARY[CUST: IH] [REVIEW: CT]	A	8455		IH	15-MAR-01

CANCELED SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-B-23755D NOT 1	BRAKE MACHINES, SHEET METAL, MANUALLY OPERATED, STANDARD AND BOX-PAN TYPE (S/S BY A-A-59484)(CUST: AR SH 99 GS5) [REVIEW: 84]	A	3441		GS5	14-MAR-01
M	QPL-14370-4 NOT 1	COMPRESSOR, RECIPROCATING POWER DRIVEN, OPEN TYPE FOR USE WITH REFRIGERANT - 12 (NO S/S DOCUMENT)	A	4130		IS	16-JAN-01
M	F-B-2902 NOT 1	BOILERS, STEAM WATERTUBE (BENT TUBE, MULTI-DRUM AND CROSS DRUM) PACKAGED TYPE (10,000,000 TO 125,000,000 BTU/HR THERMAL OUTPUT CAPACITY) (NO S/S DOCUMENT)(CUST: CE YD 99 CC) [REVIEW: 84 MC SA]	A	4410	/	CC	28-FEB-01
M	A-A-52413 NOT 1	HOSE, RUBBER; OIL SUCTION, WIRE-REINFORCED (S/S BY SAE-J517)(CUST: AT) [REVIEW: CC]	A	4720	/	AT	23-MAR-01
M	AN893 REV 10 NOT 2	BUSHING SCREW THREAD REDUCER (S/S BY SAE-AS5172)(CUST: AV AS 99 CC) [REVIEW: 70 71 MC SA]	A	4730		CC	23-FEB-01
M	QPL-85667-1 NOT 1	BOLT, SLEEVE, STRAIGHT SHANK, PROTRUDING AND FLUSH HEAD, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)	A	5306		IS	03-NOV-00
M	MS9276B NOT 3	WASHER, KEY-CRES, AMS 5510, 180 DEG. LOCKING (S/S BY SAE-AS9276)(CUST: AV AS 11 IS) [REVIEW: CG SH]	A	5310		IS	26-FEB-01
M	MS27197B NOT 2	SEAL PLAIN, RUBBER, (HOT RESISTANT 400 DEG. F) MOLD IN GROOVE (S/S BY SAE-AS27197)(CUST: 99 IS) [REVIEW: 82]	A	5330		IS	01-MAR-01
M	MS27198B NOT 2	SEAL, PLAIN, RUBBER, (MINUS 65 TO PLUS 350 DEG. F FUEL RESISTANT) MOLD IN GROOVE (S/S BY SAE-AS27198)(CUST: 99 IS) [REVIEW: 82]	A	5330		IS	01-MAR-01
M	MS28772B NOT 1	PACKING,PREFORMED ("D" RING, SHOCK STRUT) (S/S BY SAE-AS28772)(CUST: AV AS 99) [REVIEW: MI]	A	5330		IS	01-MAR-01
M	MS51007C NOT 1	GASKET, RUBBER, SYNTHETIC (S/S BY SAE-AS51007)(CUST: AR 99) [REVIEW: 82 AS AT AV CR4 MC MI]	A	5330		IS	02-APR-01
M	MIL-S-3928/25 NOT 1	SWITCHES, RADIO FREQUENCY TRANSMISSION LINE (COAXIAL) (ELECTRICALLY OPERATED) CLASS 5, 1P5T (NO S/S DOCUMENT)(CUST: CR EC 11 CC) [REVIEW: 19 99 AS CG MC MI OS]	A	5985		CC	08-MAR-01
M	A-A-52039B NOT 1	LUBRICATING OIL, AUTOMOTIVE ENGINE, API SERVICE SH (S/S BY SAE-J2362)(CUST: AT SH 68) [REVIEW: 11 AS CD GS MC MD1 OS PS SA SM YD]	A	9150	/	AT	16-MAR-01
M	A-A-52306A NOT 1	LUBRICATING OIL, HEAVY-DUTY DIESEL ENGINE (S/S BY SAE-J2363)(CUST: AT SH 68) [REVIEW: 11 AR AV GS MD1 OS PS SA SM YD]	A	9150	/	AT	16-MAR-01
M	MIL-R-6130C NOT 2	RUBBER, CELLULAR, CHEMICALLY BLOWN (S/S BY ASTM-D6576)(CUST: GL AS 11) [REVIEW: 99 AR EA GS MC MI MR OS]	A	9320		AS	19-MAR-01
M	MIL-STD-2045/48501(1) NOT 2	COMMON SECURITY LABEL (CSL) (NO S/S DOCUMENT)[Interface Standard](CUST: CR EC 02 NS) [REVIEW: 11 13 CG CH DC IR MA MC MP ND OST PT TD]	A	DCPS		NS	22-MAR-01
M	PPP-P-40C NOT 1	PRESERVATION AND PACKING OF HAND TOOLS; TOOLS AND TOOL ACCESSORIES FOR POWER DRIVEN, METAL AND WOOD WORKING MACHINERY (NO S/S DOCUMENT)(CUST: SM YD 11) [REVIEW: 13 AS CC CG CR3 DH EC MT NP TD TM2]	A	PACK	/	SM	16-MAR-01
M	PPP-G-2919 NOT 1	GENERATOR SETS, MOBILE ELECTRIC POWER AND SUPPLEMENTAL EQUIPMENT; PACKAGING OF (NO S/S DOCUMENT)(CUST: SM YD 11) [REVIEW: 71 80 CC CR4 GL MC MI OS SA SH]	A	PACK	/	SM	19-MAR-01
M	PPP-B-2920 NOT 1	BOILERS AND RELATED EQUIPMENT; PACKAGING OF (NO S/S DOCUMENT)(CUST: SM YD 99) [REVIEW: 84 CC GL SH]	A	PACK	/	SM	19-MAR-01